

DOUBLE-WIDE SUPPORT PIER PLAN (TYPICAL)



MANUFACTURER INFORMATION **SOIL INFORMATION** Name ___ Classification No. —— Soil Bearing Capacity Home Size Maximum I-Beam Spacing FOOTING INFORMATION Door Openings I-Beam I-Beam Loading PLF Mate Line Maximum End Support (I-Beam) Ground Moisture Control Yes No Mate Line Loads _____ Grading to Slope AWAY From Home ——

TRIPLE-WIDE SUPPORT PIER PLAN (TYPICAL)



MANUFACTURER INFORMATION

Grading to Slope AWAY From Home____

Name	Classification No.
Date of Mfg	Soil Bearing Capacity
Home Size Serial No	<u> </u>
Maximum I-Beam Spacing	FOOTING INFORMATION
Door Openings	FOOTING INFORMATION
I-Beam Loading PLF	I-Beam x x
Maximum End Support (I-Beam)	Mate Line x x
Ground Moisture ControlYes No	
Mate Line Loads	


SOIL INFORMATION

DOUBLE-WIDE W/ TAG SUPPORT PIER PLAN (TYPICAL) PERIMETER PIER SUPPORT @ OPENINGS REQUIRED DIMENSIONS I-BEAM PIER LOCATIONS REQUIRED DIMENSIONS - MAXIMUM END PIER SPACING ALLOWED REQUIRED DIMENSION **ORIENTATION** MATE LINE PIER LOCATIONS **REQUIRED DIMENSIONS** - MAXIMUM END PIER SPACING ALLOWED REQUIRED DIMENSION TAG MATE LINE PIER **LOCATIONS** REQUIRED DIMENSIONS " - MAXIMUM END FIER SPACING ALLOWED REQUIRED DIMENSION

MANUFACTURER INFORMATION Name Date of Mfg Home Size Serial No. Maximum I-Beam Spacing Door Openings I-Beam Loading PLF Maximum End Support (I-Beam) Ground Moisture Control Yes No Mate Line Loads Grading to Slope AWAY From Home

SOIL INFORMATION					
Classificati	on No.				
Soil Bearin	g Capac	ity			
FOOTING	INFORM	<u>IATIOI</u>	<u>N</u>		
I-Beam	X		Χ		
Mate Line		x	_ x		

SINGLE-WIDE SUPPORT PIER PLAN (TYPICAL)





MANUFACTURER INFORMATION SOIL INFORMATION Name Classification No. Home Size Soil Bearing Capacity Maximum I-Beam Spacing FOOTING INFORMATION Door Openings I-Beam I-Beam Loading PLF Maximum End Support (I-Beam) Ground Moisture Control Yes No Grading to Slope AWAY From Home

SUPPLEMENTAL INFORMATION SHEET

THIS IS ADDITIONAL INFORMATION REQUIRED BY THE CCLD FOR APPROVAL OF INSTALLATION PLANS FOR MANUFACTURED HOME INSTALLATIONS IN COMPLIANCE WITH THE MANUFACTURERS INSTALLATION MANUAL, HUD CFR 3285 AND MN STATE BUILDING CODE (MSBC).

O1	11 3203 / (14D WIN OT/ (12 DOIEDING CODE (MODO).
	ME INSTALLATION BY: MN LICENSED MANUFACTURED HOME INSTALLER HOMEOWNER
	PE OF INSTALLATION MANUFACTURED HOME PARK PRIVATE PROPERTY
	SITE PLAN PROVIDED-INCLUDE BUILDING AND PROPERTY LINE SETBACKS SITE DRAINAGE DESIGNATED FLOOD HAZARD AREA FIRE SEPARATION REQUIRED YES OR NO: IF YES—EXPLAIN REQUIREMENTS & DETAIL ON SITE PLAN
	LTI-SECTION FRAMING TOLERANCES LIST THE MAX. GAP ALLOWED BETWEEN THE SECTIONS OF THE STRUCTURE FLOOR CEILING RIDGE
MA	CESSORY STRUCTURES—PER MANUFACTURERS INSTALLATION NUAL, MSBC CHAPTER 1350 AND MSBC CHAPTER 1300. DECKS STAIRS LANDINGS OTHER